

---

**Declaration of Performance  
and CE-Marking of Windows  
and Pedestrian Doorsets with  
fire resistance and/or smoke  
control characteristics accord-  
ing to EN 16034**

---

---

Edition November 2016

---

Guidance Sheet CE.03/A2

---

Corrigendum to CE.03: 2015-11

---

Supersedes Corrigendum CE.03/A1: 2016-09

---

---

EuroWindowor AISBL

---

---

In co-operation with:

---

European Aluminium

---

ift Institut für Fenstertechnik

---

---

The technical data and recommendations provid-  
ed are based on the best available information on  
the date of publication and are not legally bind-  
ing.

---

---

Published by:

---

EuroWindowor AISBL

---

40, rue Breydel, B-1040 Bruxelles

---

© EuroWindowor AISBL, Frankfurt 2016

---



## Corrigenda

### A. Section 2.2 first clause is modified as follows:

#### 2.2 Impacts of EN 16034

EN 16034 was issued in December 2014 and harmonized by publication in the Official Journal of the EU. As from 1<sup>st</sup> **November** 2016, it will thus be possible to declare fire resistance and/or smoke control characteristics with the CE-mark consistently all over Europe. From 1<sup>st</sup> **November** 2019 onwards, CE-marking according to EN 16034 will be compulsory.

Marking of fire-resistance and/or smoke control characteristics

*Note: The OJEU publication of 2016-06-10 for EN 16034 changed the date of applicability of the standard as a harmonised standard and the date of the end of the co-existence period from September to November.*

### B. Delete last clause in Section 2 as follows:

~~Regarding internal pedestrian doorsets with fire resisting and/or smoke control characteristics EN 16034 is also mandatory.~~

~~Internal pedestrian doorsets~~

### C. Delete last clause in Section 2.2 as follows:

~~For internal pedestrian doorsets the information given in this guidance sheet is similar, but essential characteristics according to EN 14351-2 shall only be declared after this standard is published in the Official Journal of the EU and the coexistence period started.~~

~~EN 16034 for internal pedestrian doorsets~~

### D. Annex 1 reference [2] is modified as follows:

- [2] EN 14351-1: 2006+A1:2010 A2:2016 “Window and doors – Product standard, performance characteristics – Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke control characteristics“

*Note: According to OJEU publication of 2016-10-28 the EN 16034:2014 shall only be applied together with either EN 13241-1:2003+A2:2016 or EN 14351-1:2006+A2:2016.*

**EuroWindow AISBL**  
Schuman Business Center  
40, Rue Breydel  
1040 Bruxelles / Belgium  
Phone: +32 (2) 502 3396  
gs@eurowindow.eu  
www.eurowindow.eu

